Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/803454	US-PGPUB; USPAT	OR	ON	2006/10/23 09:13
S2	29	((НАЛМЕ) near2 (NISHIMURA)).INV.	US-PGPUB; USPAT	OR	ON	2006/10/23 09:14
S3	5	((JIN) near2 (GOHSHI)) INV	US-PGPUB; USPAT	OR	ON	2006/10/23 09:14
S4	33	S2 or S3	US-PGPUB; USPAT	OR	ON	2006/10/23 09:16
S5	63	((НАЛМЕ) near2 (NISHIMURA)). INV.	EPO; JPO; DERWENT	OR	ON	2006/10/23 09:15
S6	0	((ЛN) near2 (GOHSHI)).INV.	EPO; JPO; DERWENT	OR	ON	2006/10/23 09:15
S7	63	S5 or S6	EPO; JPO; DERWENT	OR	ON	2006/10/23 09:29
S9	352396	temp\$8 near2 (sens\$4 or detect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 16:08
S10	122191	step\$5 near2 motor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON.	2006/10/23 09:37
S11	1838663	controller or CPU or "central processing unit"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 09:31
S12	492073	"laser diode" or (semiconductor near2 laser) or pickup or "pick-up"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 09:38
S13	9	S9 same S10 same S11 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 09:36
S19	2640706	(step\$5 near2 motor) or motor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 09:37
S20	141	S9 same S11 same S12 same S19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 09:38
S21	524210	"laser diode" or (semiconductor near2 laser) or pickup or "pick-up" or (optical near2 head)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 09:38

S22	152	S9 same S11 same S21 same S19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 13:01
S23	218	369/53.18.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 13:01
S24	105	369/47.39.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 13:01
S25	72	369/47.44.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 13:01
S27	10	S9 and (S24 or S25)	US-PGPUB; USPAT	OR	ON	2006/10/23 13:10
S28	146	S11 and S23	US-PGPUB; USPAT	OR	ON	2006/10/23 13:12
S29	336921	S11 with (speed or current or rotat\$6 or type or manufacturer or power or intensity)	US-PGPUB; USPAT	OR	ON	2006/10/23 13:36
S30	109	S29 and S23	US-PGPUB; USPAT	OR	ON	2006/10/23:13:36
S32	265329	((record\$4 near2 speed) or (rotat\$6 near2 speed) or (fold\$4 near2 speed))	US-PGPUB; USPAT	OR	ON	2006/10/23 15:59
S33	15436	S11 with S32	US-PGPUB; USPAT	OR	ON	2006/10/23 13:40
S34	97327	(laser or beam) near2 (power or intensity)	US-PGPUB; USPAT	OR	ON	2006/10/23 13:37
S35	4012	S11 with S34	US-PGPUB; USPAT	OR	ON	2006/10/23 13:38
S36	58981	(drive or "laser diode") near2 current	US-PGPUB; USPAT	OR	ON	2006/10/23 13:38
S37	3591	S11 with S36	US-PGPUB;	OR	ON	2006/10/23 13:39
S38	47900	(disk or disc) near2 type	USPAT US-PGPUB;	OR	ON	2006/10/23 13:40
S39.	1333	S11 with S38	USPAT US-PGPUB;	OR	ON	2006/10/23 13:40
S40	3014	(disk or disc) near2 manufacturer	USPAT US-PGPUB;	OR	ON	2006/10/23 13:40
S41	68	S11 with S40	USPAT US-PGPUB;	OR	ON	2006/10/23 13:40
S42	13	S33 and S37 and (S35 or S39 or S41)	USPAT US-PGPUB;	OR	ON	2006/10/23 13:46
S43	552	S33 with S9	USPAT US-PGPUB;	OR	ON	2006/10/23 13:47

S44	54	S37 with S9	US-PGPUB; USPAT	OR	ON	2006/10/23 13:50
S45	4	S43 and S44	US-PGPUB; USPAT	OR	ON	2006/10/23 13:47
S46	5	S43 and "369".clas.	US-PGPUB; USPAT	OR	ON	2006/10/23 13:50
S47	17	("5182742" "5233596" "5274622" "5297128" "5329512") PN. OR ("5461603") URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/23:14:13
S48	17	("4736353" "4937801" "5070494" "5191562").PN. OR ("5495455").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/23 15:23
S51	1635368	((record\$4 near2 speed) or (rotat\$6 near2 speed) or (fold\$4 near2 speed) or speed or velocity or CAV or CLV)	US-PGPUB; USPAT	OR	ON	2006/10/23 16:00
S52	2620	S51 with S9 with S11	US-PGPUB; USPAT	OR	ON	2006/10/23 16:09
S53	17	S52 and "369" clas	US-PGPUB; USPAT	OR	ON	2006/10/23 16:10
S54	3846727	(temp\$8 near2 (sens\$4 or detect\$4)) or temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/23 16:08
S55	7077	S51 with S54 with S11	US-PGPUB; USPAT	OR	ON	2006/10/23 16:09
S56	29	S55 and "369".clas.	US-PGPUB; USPAT	OR	ON	2006/10/23 16:10
S58	396	(optical near2 (disk or disc) near2 drive) with (thick\$7 or height)	US-PGPUB; USPAT	OR	ON	2006/10/23 17:17
S59	225	S58 and "369".clas.	US-PGPUB; USPAT	OR	ON	2006/10/23 17:32
S60	31	(S58 with "mm")and "369" clas.	US-PGPUB; USPAT	OR	ON	2006/10/23 17:17
S61	778	(optical near2 (disk or disc) near2 (device or apparatus)) with (thick\$7 or height)	US-PGPUB; USPAT	OR	ON	2006/10/23 17:17
S63	137	(S61 with "mm") and "369" clas.	US-PGPUB; USPAT	OR	ON	2006/10/23 17:30
S64	16993	(TOC or "table of contents" or "lead-in area" or "lead in area" or BCA or "burst cutting area")	US-PGPUB; USPAT	OR	ON	2006/10/23 17:33
S65	1170	S11 with S64.	US-PGPUB; USPAT	OR	ON	2006/10/23 17:33
S66	732	S65 and "369".clas.	US-PGPUB; USPAT	OR	ON	2006/10/23 17:33
S67	6254	(TOC or "table of contents")	US-PGPUB; USPAT	OR	ON	2006/10/23 17:37

S68	847	S11 with S67	US-PGPUB; USPAT	OR	ON	2006/10/23 17:37
309	507	S68 and "369":clas		OR	ON	2006/10/23 17:33
S70	114	(TOC or "table of contents") near5 (dis\$2 near2 type)	US-PGPUB; USPAT	OR	ON	2006/10/23 17:37
	7	S11 with S70	US-PGPUB; USPAT	OR	ON	2006/10/23 17:37

10/24/2006 1:58:07 PM 10/24/2006 1:58:07 PM

C:\Documents and Settings\bibbins\My Documents\EAST\Workspaces\10-803454 Optical Disc Device and Data Recording Method for Optical Disc